

=====MSDS=====

Safety Information

=====

[TOP](#)

FSC: 6850      NIIN: 01-222-5537      MSDS Date: 06/24/1993      MSDS Num: CDZYD

Submitter: D DG      Tech Review: 07/23/1997      Status CD: C

Product ID: Y1, Y2, Y3, R1 PUTZ POMADE LIQUID ROLLER CLEANER      MFN: 02  
Article: N      Kit Part: N

Responsible Party      Cage: 27185  
Name: BURNISHINE PRODUCTS

Address: 1100 LAKESIDE DRIVE  
City: GURNEE      State: IL      Zip: 60031

Country: US  
Info Phone Number: 708-244-6600  
Emergency Phone Number: 708-244-6600

Preparer's Name: N/P

Proprietary Ind: N      Review Ind: Y  
Published: Y      Special Project CD: N

=====Contractor=====

Summary

=====

[TOP](#)

Cage:0E4P0      Name:BADGER GRAPHIC SALES INC  
Address:1225 DELANGLADE ST      Box:46  
City:KAUKAUNA      State:WI      Zip:54130-0046  
Country:US      Phone:414-766-9332

Cage:6W206      Name:BURNISHINE PRODS DIV/HERBERT STANLEY CO.  
Address:8140 N. RIDGEWAY  
City:SKOKIE      State:IL      Zip:60076  
Country:NK      Phone:(312) 583-1810

Cage:27185      Name:BURNISHINE PRODUCTS CO  
Address:8140 N RIDGEWAY      Box:N/K  
City:SKOKIE      State:IL      Zip:60076  
Country:US      Phone:312-583-1810

Cage:0ZPB9      Name:THE HERBERT STANLEY COMPANY  
Address:1100 LAKESIDE DRIVE  
City:GURNEE      State:IL      Zip:60031  
Country:US      Phone:800-535-5053/847-236-3500

=====Item=====

Description Information

=====

[TOP](#)

Item Manager:

Item Name: LITHOGRAPHIC BLANKET-ROLLER WASH  
Specification Number: NONE      Type/Grade/Class: NONE  
Unit of Issue:      Quantitative Expression:  
UI Container Qty:      Type of Container: UNKNOWN

=====

Ingredients

=====

[TOP](#)

Cas: 8008-20-6                      Code: M                      RTECS #: OA5500000                      Code: M

Name: ALIPHATIC PETROLEUM SOLVENT (KEROSENE)

% Text: 5.5                      Environmental Wt:  
Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED	Code: M	OSHA STEL:	Code:
ACGIH TLV: NOT ESTABLISHED	Code: M	ACGIH N/P STEL:	Code:
EPA Rpt Qty:		DOT Rpt Qty:	

Ozone Depleting Chemical: N

Cas:                      Code: X                      RTECS #:                      Code: X

Name: FORMULA IS LISTED TRADE SECRET TSRN 80100261-5000

% Text: UNKNOWN                      Environmental Wt:  
Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED	Code: M	OSHA STEL:	Code:
ACGIH TLV: NOT ESTABLISHED	Code: M	ACGIH N/P STEL:	Code:
EPA Rpt Qty:		DOT Rpt Qty:	

Ozone Depleting Chemical:

=====

Hazards Data

=====

[TOP](#)

LD50 LC50 MixturePRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Route Of Entry Inds – Inhalation:N/P	Skin:N/P	Ingestion:N/P
Carcinogenicity Inds – NTP:N/P	IARC:YES	OSHA:N/P

Health Hazards Acute And Chronic

PRODUCT HAS AN ORAL TOXICITY GREATER THAN 5 GRAMS/KG. SKIN:CAN CAUSE SLIGHT IRRITATION. EYES:SLIGHT TO MODERATELY IRRITATING.

Explanation Of Carcinogenicity

KEROSENE IARC GROUP 2A

Signs And Symphons Of Overexposure

NORMALLY NONE. PROLONGED &/OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION.

Medical Cond Aggravated By Exposure

DERMATITIS

First Aid

SKIN:WASH W/SOAP & WATER. EYE:FLUSH W/WATER. INGESTION:DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

#### Spill Release Procedures

IF SPILLED, SCOOP UP & WIPE SUSRFACE DRY & WASH W/SOAP & WATER.

#### Neutralizing Agent

MFR GAVE NO INFORMATION OF MSDS.

#### Waste Disposal Methods

DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS. NONE

#### Handling And Storage Precautions

STORE AWAY FROM HEAT & OPEN FLAMES. FOR INDUSTRIAL USE ONLY. KEEP OUT OF REACH OF CHILDREN.

#### Other Precautions

NONE

#### Explosion Hazard Information

Fire and

[TOP](#)

Flash Point Method: TCC

Flash Point:

Flash Point Text: >200F,>93C

Autoignition Temp:

Autoignition Temp Text: N/K

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

#### Extinguishing Media

USE FOAM, CARBON DIOXIDE OR DRY CHEMICAL.

#### Fire Fighting Procedures

NONE

#### Unusual Fire/Explosion Hazard

NONE

Measures

Control

[TOP](#)

#### Respiratory Protection

NONE

#### Ventilation

NONE

#### Protective Gloves

NONE

#### Eye Protection

KEEP AWAY FROM EYES

#### Other Protective Equipment

NONE

## Supplemental Safety and Health

TOP

NRC/State LIC No: NONE

Spec Gravity: 1.242

**Viscosity:** UNKNOWN

Appearance and Odor: REDDISH HEAVY LIQUID

Corrosion Rate: UNKNOWN

**= Reactivity**

TOP

Conditions To Avoid Polymerization WILL NOT OCCUR.

$$\vdots$$

TOP

**Toxicological Information:**N/P

## = Ecological

TOP

**Ecological:** N/P

=====MSDS

Transport Information

=====

[TOP](#)

Transport Information: N/P

=====Regulatory

Information

=====

[TOP](#)

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

=====Other

Information

=====

[TOP](#)

Other Information: N/P

=====

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.