

MSDS

Safety Information

TOP

FSC:

MSDS Date:

MSDS Num:

6850

08/01/1987

CJBFW

Submitter:

LIIN:

Tech Review:

Status CD:

F BT

00F057112

11/20/1998

A

Product ID:

MFN:

REGULAR CLOROX BLEACH

01

Article:

Kit Part:

N

N

Cage:

Responsible Party

CLORO

Name:

THE CLOROX CO

Address:

Box:

7200 JOHNSON DR

N/K

City:

State:

Zip:

PLEASANTON

CA

94566

Country:

US

Info Phone Number:

415-847-6100/510-847-6111

Emergency Phone Number:

415-847-6100/510-847-6111

Preparer's Name:

N/P

Proprietary Ind:

N

Review Ind:

Y

Published:

Special Project CD:

Y

N

Preparer

Co. when other than Responsible Party Co.

TOP

Cage:

Assigned Ind:

CLORO

Y

Name:

THE CLOROX CO

Address:

Box:

7200 JOHNSON DR

N/K

City:

State:

Zip:

PLEASANTON

CA

94588

Contractor

Summary

TOP

Cage:

Name:

Address: CLORO THE CLOROX CO Box:
City: 7200 JOHNSON DR State: N/K
PLEASANTON Country: Phone: CA Zip: 94588
US 415-847-6100

Ingredients TOP

Cas: 7681-52-9 M NH3486300 M

Code: RTECS #: Code:
Name: SODIUM HYPOCHLORITE, HYPOCHLOROUS ACID SODIUM SALT

% Text: 5.29 Environmental Wt:

OSHA PEL: Other REC Limits: N/K

N/K Code: M OSHA STEL: Code:

ACGIH TLV: N/K Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty: 100 LBS DOT 100 LBS
Rpt Qty:

Ozone Depleting Chemical:

N

Hazards Data Health TOP

LD50 LC50 Mixture

N/P

Route Of Entry Inds – Inhalation: YES Skin: NO Ingestion: YES

Carcinogenicity Inds – NTP: NO IARC: NO OSHA: NO

Health Hazards Acute And Chronic

EYES: SEVERE TEMPORARY INJURY. SKIN: IRRITATION. INHALATION: IRRITATION OF NOSE, THROAT, LUNGS. MAY CAUSE EFFECTS IF INGESTED.

Explanation Of Carcinogenicity

NONE

Signs And Symptions Of Overexposure

IRRITATION, NAUSEA, VOMITING

Medical Cond Aggravated By Exposure

N/K

First Aid

EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER. SKIN: WASH W/WATER. INGESTION: DRINK A GLASSFUL OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

SMALL <5 GAL: MAY BE FLUSHED DOWN DRAIN. LARGE QUANTITIES: WIPE UP W/AN ABSORBENT MATERIAL/MOP. DILUTE W/WATER TO MINIMIZE OXIDIZING EFFECT ON SPILLED SURFACE.

Neutralizing Agent

N/K

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions

STORE IN A COOL, DRY PLACE. DON'T REUSE EMPTY CONTAINER; RINSE CONTAINER & PUT IN TRASH CONTAINER.

Other Precautions

KEEP OUT OF REACH OF CHILDREN. DON'T GET IN EYES/ON SKIN. DON'T MIX W/OTHER HOUSEHOLD CHEMICALS SUCH AS TOILET BOWL CLEANERS, RUST REMOVERS, VINEGAR, ACID/AMMONIA CONTAINING PRODUCTS. AVOID EYE & SKIN CONTACT & INHALATION OF VAPOR/MIST.

===== Fire and

Explosion Hazard Information

=====

[TOP](#)

Flash Point Method:

N/P

Flash Point:

Flash Point Text: NOT FLAMMABLE

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

N/K

Fire Fighting Procedures

COOL CONTAINERS TO PREVENT RUPTURE & RELEASE OF SODIUM CHLORATE.

Unusual Fire/Explosion Hazard

N/K

Measures	Control	TOP
----------	---------	-----

Respiratory Protection

REQUIRED

Ventilation

GENERAL VENTILATION TO MINIMIZE EXPOSURE TO VAPOR/MIST.

Protective Gloves

REQUIRED FOR REPEATED/PROLONGED USE.

Eye Protection

SAFETY GLASSES

Other Protective Equipment

N/K

Work Hygienic Practices

REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY W/SOAP WATER AFTER HANDLING.

Supplemental Safety and Health

PROLONGED CONTACT W/METAL MAY CAUSE PITTING/DISCOLORATION.

Physical/Chemical Properties	TOP
------------------------------	-----

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 212F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: 212F

Vapor Pres: N/K

Vapor Density: N/K

Volatile Org Content %:

Spec Gravity: 1.085

VOC Pounds/Gallon:

PH: 11.4

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: N/K

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, LIGHT YELLOW LIQUID W/CHLORINE ODOR

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: N/K

Materials To Avoid: TOILET BOWL CLEANERS, RUST REMOVERS, VINEGAR,
ACIDS/AMMONIA CONTAINING PRODUCTS

Hazardous Decomposition Products: SODIUM CHLORATE, CHLORINE OTHER CHLORINATED
SPECIES

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

:

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

===== MSDS Transport
Information =====

[TOP](#)

Transport Information:

N/P

===== Regulatory Information

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

===== Other Information

[TOP](#)

Other Information:

N/P

=====

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.