SUMMARIZED MSDS AND ENVIRONMENTAL INFORMATION FOR NASCO-GUARD" SPECIMENS REVISED JANUARY 1996

Manufacturer's Name: NASCO, Fort Atkinson, Wisconsin 53538-0901 Emergency Phone Number: 920-568-5565

The following safety data applies to NASCO-Guard" preservative fluid (or tissue fluids) containing approximately 74% water, 25% propylene glycol (1, 2-propanediol), 0.3% or less formaldehyde, and a possible trace of phenol. The Chemical Abstracts Service (CAS) registration number for propylene glycol is 57-55-6. The CAS number for formaldehyde is 50-00-0. The CAS number for phenol is 108-95-2. As required by law, we will provide complete information on each of the fIXative and preservative chemicals that may be present in our

GENERAL INFORMATION: NASCO-Guard" specimens are initially fixed in formaldehyde solutions ranging from 0.8%-3.7%. The embalming fluid of large animals (e.g., cats, dogs, fetal pigs) may also contain 1.9% phenol. All specimens are subsequently perfused with a propylene glycol-water solution until tissue fluids and ambient fluids contain at least 25% glycol. Residual free formaldehyde is thus reduced to 0.3% or less. Phenol, if present, is reduced commensurately. Propylene glycol is nontoxic.

APPEARANCE AND ODOR: Colorless, sweet tasting liquid with mild odor (slight disinfectant odor if phenol is

ARE AND ExPLOSION HAZARD: None

HEALTH HAZARD: NASCO-GUARD" PRESERVATIVE FlillD (OR TISSUE FlillDS)

'. Eyes::-, Direct contact willi eyes may cause irritation. Wash eyes with water. Safety glasses may be ""om as a precautionary measure.

Skin - ~Id irritation possible in hypersensitive individuals. Wash hands with soap and water after handling specimens. Rubber or plastic gloves may be worn as a precautionary measure.

Inhalation - Very small quantities of formaldehyde gas can cause distress (dizziness, nausea,

headache, etc.) in hypersensitive individuals. Specimens should be used in a well-ventilated room.

Oral - Because NASCO-Guard" specimens are moist packed, little fluid is available for con sumption. Residual phenol could be toxic, but ingestion is unlikely due to medicinal odor.

EMERGENCY AND ARST AID PROCEDURES:

Swallowing - Drink large amounts of water. Do not induce vomiting.. Get medical attention immediately.

Skin - Wash with soap and water.

Inhalation - Remove to fresh.air. Call a physician if discomfort persists.

Eves - flush with water.

SUPPLEMENTAL INFORMATION ON CHEMICALS THAT MAY BE PRESENT IN NASCOGOARD" SPECIMENS:

Propylene Glycol is nontoxic, as evidenced by its wide use in foods, pharmaceuticals, and cosmetics. Ingestion may cause nausea. It may cause minor skin irritation.

Formaldehyde is well known for its toxic and irritant properties. A large quantity of NASCOGuard" would have to be ingested to inflict a lethal dose because its residual formaldehyde concen tration is 0.3% or less,

Phenol can be toxic. Because phenol has a distinct medicinal smell, however, it is unlikely that specimens containing phenol would be eaten. Phenol's wide use as a disinfectant and deodorant attests to its relative safety when used in highly diluted solutions.

Detailed MSDS information for propylene glycol is included in this summary. Detailed MSDS information for formaldehyde and phenol may be ordered from NASCO's Safety Officer, Dept. MSDS, 901 Janesville Avenue, Fort Atkinson, WI 53538-0901. Be reminded, however, that the tabulated chemical and physical properties are for "full strength" concentrations. Formaldehyde and phenol are present in our specimens in only trace amounts. Propylene glycol and water are the

c:.' main ingredients: both are nontoxic.

DISPOSAL OF SPECIMENS:

...... NAS<::p-Guard"sgecimens are biodegradable. They are suited for burial in an approved san itary landfill or for incineration. Ambient fluids may be safely disposed via city sewers.