Safety Information TOP

FSC: 9150 **MSDS Date:** 02/23/1988 **MSDS Num:** BPSDN

Submitter: F BT LIIN: 00F025524 Tech Review: 11/17/1992 Status CD: C

Product ID: 8100 GREEN PRESSURE GREASE MFN: 01

Article: N Kit Part: N

Responsible Party Cage: 7J286

Name: ILLINOIS OIL PRODUCTS INC

Address: 321 24TH ST ILLINOIS OIL BLDG

Box: N/K

City: ROCK ISLAND State: IL Zip: 61201–8818

Country: US

Info Phone Number: 309-786-4474
Emergency Phone Number: 309-786-4474

Preparer's Name: DAVE BURGESS

Proprietary Ind: N Review Ind: Y
Published: Y Special Project CD: N

Co. when other than Responsible Party Co.

TOP

Cage: 7J286 Assigned Ind: N

Name: ILLINOIS OIL PRODUCTS INC

Address: 321 24TH ST

Address: 321 24TH ST

City: ROCK ISLAND State: IL Zip: 61201–8818

Summary — Contractor TOP

Cage:7J286 Name: [LLINOIS OIL PRODUCTS INC

City:ROCK ISLAND State:IL Zip:61201–8818

Country:US Phone: 309-786-4474;800-447-6055

Ingredients TOP

Cas: 64742–53–6 Code: M RTECS #: PY8036000 Code: M

Name: LIGHT NAPHTHALIC DISTILLATE, HYDROTREATED LIGHT NAPHTHENIC DISTILLATE

% Text: N/K Environmental Wt:

Other REC Limits: N/K

OSHA PEL: 5 MG/CUM (OIL MIST) Code: M OSHA Code: STEL:

ACGIH TLV: 5 MG/CUM (OIL MIST) Code: M N/P Code:

Ozone Depleting Chemical: N

Cas: 64742–52–5 Code: M RTECS #: PY8035000 Code: M

Name: PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE (PETROLEUM), PETROLEUM

DISTILLATES, MINERAL OIL
% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: 5 MG/CUM (OIL MIST) Code: M OSHA Code:

STEL:

ACGIH TLV: 5 MG/CUM (OIL MIST) Code: M ACGIH N/P Code:

STEL:

EPA Rpt Qty:

DOT Rpt
Qty:

Ozone Depleting Chemical: N

Cas: 64741–95–3 Code: M RTECS #: Code: X

Name: SOLVENT DEASPHALTED RESIDUAL PETROLEUM OIL *92-3*

% Text: N/K Environmental Wt:

Other REC Limits: N/K

OSHA PEL: 5 MG/CUM (OIL MIST) Code: M OSHA Code:

STEL:

ACGIH TLV: 5 MG/CUM (OIL MIST) Code: M ACGIH N/P

STEL:

EPA Rpt Qty: DOT Rpt

Qty:

Code:

Code:

Ozone Depleting Chemical: N

Cas: 7632-00-0 Code: M RTECS #: RA1225000 Code: M

Name: SODIUM NITRITE

ACGIH TLV: N/K

% Text: N/K Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K Code: M OSHA Code:

Code: M

STEL:

ACGIH N/P STEL:

EPA Rpt Qty: 100 LBS DOT Rpt 100 LBS

Qty:

Ozone Depleting Chemical: N

Health
Hazards Data
TOP

LD50 LC50 Mixture N/K

Route Of Entry Inds – Inhalation:NO Skin:YES Ingestion:YES

Carcinogenicity Inds – NTP:NO IARC:NO OSHA:NO

Health Hazards Acute And Chronic

SKIN: SLIGHT IRRITATION. INHALATION: NOT EXPECTED TO PRESENT HAZARD UNDER NORMAL CONDITIONS. INGESTION: LAXATIVE EFFECTS.

NONE

Signs And Symptions Of Overexposure

SKIN: OIL ACNE WHICH IS CHARACTERIZED BY BLACKHEADS W/POSSIBLE SECONDARY INFECTION. ALLERGIC DERMATITIS, USUALLY PRECEDED BY CONTACT DERMATITIS MAY OCCUR & SPREAD BEYOND AREAS OF DIRECT CONTACT.

Medical Cond Aggravated By Exposure

N/K

First Aid

EYES: IMMEDIATELY FLUSH W/LARGE AMOUNTS OF WATER & CONTINUE FLUSHING FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

SCRAPE OR SHOVEL UP. ABSORB RESIDUE W/MATERIAL SUCH AS CLAY OR DIATOMACEOUS EARTH.

Neutralizing Agent

N/K

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Handling And Storage Precautions

KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions

DON'T INGEST. AVOID CONTACT W/SKIN.

Explosion Hazard Information	
Flash Point Method: COC	
Flash Point:	Flash Point Text: >148F
Autoignition Temp:	Autoignition Temp Text: N/A
Lower Limits: N/R	Upper Limits: N/R

Extinguishing Media

CO2, DRY CHEMICAL, FOAM, SAND/EARTH. WATER FOG MAY BE USED TO COOL EXPOSED CONTAINERS.

Fire Fighting Procedures

PRODUCES DENSE SMOKE, USE APPROPRIATE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard

N/K

Respiratory Protection

AS REQUIRED.

Ventilation

N/K

Protective Gloves

IMPERVIOUS SYNTHETIC RUBBER

Eye Protection

N/K

Other Protective Equipment

IMPERVIOUS SYNTHETIC RUBBER BOOTS, APRON, &CLOTHING

Work Hygienic Practices

REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH BEFORE EATING, DRINKING, SMOKING, OR USING TOILET.

Supplemental Safety and Health

N/K

Physical/Chemical Properties

TOP

HCC: NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point: B.P. Text: N/R

Melt/Freeze Pt: M.P/F.P Text: N/R
Decomp Temp: Decomp Text: N/K

Vapor Pres: N/R Vapor Density: N/R
Volatile Org Content %: Spec Gravity: <1

VOC Pounds/Gallon:PH: N/KVOC Grams/Liter:Viscosity: N/P

Evaporation Rate & Reference: N/R

Solubility in Water: NEGLIGIBLE

Appearance and Odor: GREEN SEMI SOLID W/MILD ODOR.

Percent Volatiles by Volume: N/R Corrosion Rate: N/K

= Reactivity TO

<u>OP</u>

Stability Indicator: YES

Stability Condition To Avoid: HEAT, OPEN FLAMES

Materials To Avoid: OXIDIZING MATERIALS

Hazardous Decomposition Products: CO, CO2, &OTHER OXIDES

Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization N/K Toxicological Information

Toxicological Information: N/P

Information

Ecological: N/P

Transport Information

Top

Transport Information: N/P

Sara Title III Information: N/P

State Regulatory Information: N/P

State Regulatory Information: N/P

Information

Other Information: N/P

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

TOP