

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

TOUGH ON GREASE

Janitorial

Product Number: 2034

Product/Technical Information: 1-(800)-537-8990

Spartan Chemical Company, Inc.

Medical Emergency:1-(888)-314-6171 (24 hours)

Pers. Prot. Equip.: See Section VIII

1110 Spartan Drive

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours) Emergency:

Maumee OH 43537

Shipping Description: Cleaning compounds, liquid, n.o.s.				
NFPA Ratings:		HMIS Ratings:		
	2 - Moderate	Health:	2 - Moderate	
	0 - Minimal	Fire:	0 - Minimal	
		Reactivity:	0 - Minimal	
Reactivity:	0 - Minimal		a a dia vitti	

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

isting on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Substances maintained by the U.S. E						
			Table Z- 1 - A			NTP, IARC
					CELING	or OSHA
- 1 N (a)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Chemical Name(s)			Not Established	Not Established	Not Established	No
Nonyl phenol ethoxylate	1-5					1
Dipropylene glycol n-propyl	1-5	29911-27-1	Not Established	Not Established	Not Established	No
ether				N Detablished	Not Established	No
Sodium tripolyphosphate	1-5				Not Established	
	1-5	1300-72-7	Not Established	Not Established	Not Established	No
Sodium xylene sulfonate	ــــــــــــــــــــــــــــــــــــــ		<u> </u>			

SECTION III: PHYSICAL	DATA		
Boiling Point:		Vapor Pressure:	Unknown
Vapor Density (AIR = 1):		Solubility in Water:	Complete
	11.7 - 12.3	Specific Gravity (H ₂ O=1):	1.04
Evaporation Rate (but.ace.=1):	1 -	Percent Solid by Weight:	5-10
Physical State:			
Appearance & Odor: Clear liquid, mild solvent odor.			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

		Method Used:	ASTM-D56
Flash Point:	>212°F		
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for		
Procedures	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards	Combustion products are toxic		

SECTION V: HEALTH HAZARD DATA

SECTION V: HEALTH HAZARD DATA			
Threshold Limit Value:		Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
		to de la chida noin rodnoss	
Conditions to Avoid	MAY BE HARMFUL IF SW. vomiting and diarrhea. BREATHING PRODUCT V. IRRITATION: Symptoms m Avoid contact with eyes, sor mists. Do not swallow.	APORS OR MIST MAY CAUSE RESPIRATORY lay include nasal discomfort and coughing. skin and clothing. Avoid breathing product vapors Use with adequate ventilation. Wash thoroughly	
Conditions Aggravated by Use	Use of this product may aggra including asthma and fibrotic	vate preexisting skin; eye and respiratory disorders pulmonary disease.	

Emergency & First Aid Procedures:

Emergency & First Aid Procedu	les:
Eyes:	Flush eyes with plenty of water for at least 15 minutes. Remove contact reases. Get
1	medical attention.
G1:	Programme of clothing. Flush skin with water for at least 15 minutes. Get medical
II i	attention if irritation persists. Wash contaminated clouding before reuse.
	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical
Ingestion:	Do not induce vomiting. Drink one of two glasses of water to a attention. Do not give anything by mouth to an unconscious person.
	attention. Do not give any amp -
	In case of respiratory irritation or dizziness; move person to fresh air. If not breathing; give artificial respiration. If breathing is difficult; give oxygen. Get medical attention if
	irritation persists.

SECTION VI: REACTIVITY DATA

Stability: Stable			Strong acids and oxidizing agents
Hazardous Decomposition Products:	ablished	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

SECTION VII: SPILL OR L	AR PROCEDURES
A resemblis Deleased or Smilled	Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm sewers and waterways.
Weste Dignosal Method:	Dispose of in compliance with all federal, state and local laws and regulations.
w aste Disposar Weater.	

SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify	Rubber or other impervious gloves.
Type): Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not mix with other chemicals.
Other Precautions:	Keep out of reach of children

© SCC 06/30/2005

Name:

Ronald T. Cook

Title:

Manager, Regulatory Affairs

TOUGH ON GREASE

Effective

06/30/2005

Supercedes: 06/01/2004

Date:

Update Section IX Ref: 29 CFR 1910.1200 (OSHA) Changes:

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.