

===== MSDS			
Safety Information			
=====			
FSC:	NIIN:	MSDS Date:	MSDS Num:
6675	00-641-3610	06/01/1987	BMWJB
Submitter:		Tech Review:	Status CD:
D DG		05/29/1992	C
Product ID:		MFN:	
RUBBER CREAM AND LIQUID GLUE		02	
Article:		Kit Part:	
N		Y	
	Cage:		
Responsible Party	LAKES		
Name:			
LAKESIDE PLASTICS INC. TRI-TIX DIVISION			
Address:			
450 W 33RD STREET			
City:	State:	Zip:	
OSHKOSH	WI	54901	
Country:			
US			
Info Phone Number:			
414-235-4513			
Emergency Phone Number:			
414-235-4513			
Preparer's Name:			
N/P			
Proprietary Ind:			
N		Review Ind: Y	
Published: Y		Special Project CD: N	

===== Contractor			
Summary			
=====			
Cage:	Name:		
06608	BLICK DICK CO		
Address:			
P O BOX 1267			
City:	State:	Zip:	
GALESBURG	IL	61401	
Country:	Phone:		
US	309-343-6181		

Cage:	Name:		
LAKES	LAKESIDE PLASTICS INC. TRI-TIX DIVISION		
Address:			
450 W 33RD STREET			
City:	State:	Zip:	

OSHKOSH
Country:

Phone:

WI

54901

US

414-235-4513

===== Description Information =====

Item

[TOP](#)

Item Manager:

S9I

Item Name: DRAFTING EQUIPMENT SET,BATTALION

Specification Number: N/K

Type/Grade/Class: N/K

Unit of Issue: SE

Quantitative Expression:

UI Container Qty: 1

Type of Container: UNKNOWN

===== Ingredients =====

[TOP](#)

Cas: 1336-21-6

M

BQ9625000

M

Code:

RTECS #:

Code:

Name: AMMONIUM HYDROXIDE (SARA III)

% Text: N/K

Environmental Wt:

Other REC Limits: NONE SPECIFIED

OSHA PEL:

35 PPM (AMMONIA)

Code: M OSHA
STEL:

Code:

ACGIH TLV: 35 PPM (AMMONIA)

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty: 1000 LBS

DOT 1000 LBS
Rpt
Qty:

Ozone Depleting Chemical:

N

===== Hazards Data =====

Health

[TOP](#)

LD50 LC50 Mixture

LD 50 ORAL RAT IS UNKNOWN

Route Of Entry Inds – Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

MANUFACTURER STATES NO HEALTH HAZARDS.

Explanation Of Carcinogenicity

NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Signs And Symptions Of Overexposure

AMMONIA MAY IRRITATE EYES AND MUCOUS LININGS.

Medical Cond Aggravated By Exposure

NONE NOTED.

First Aid

EYES/SKIN: FLUSH WITH PLENTY OF WATER. INHALATION: REMOVE VICTIM TO FRESH AIR. INGESTION: LATEX WILL COAGULATE BY STOMACH ACID. FOLLOW MEDICALLY FOR BLOCKAGE.

Spill Release Procedures

ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER. WASH AREA WITH PLENTY OF WATER.

Neutralizing Agent

NOT APPLICABLE

Waste Disposal Methods

CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER RECOMMENDS APPROVED LANDFILL.

Handling And Storage Precautions

STORE IN COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions

AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Fire and
Explosion Hazard Information
=====

TOP

Flash Point Method:

N/P

Flash Point:

Flash Point Text: N/R

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/R

Upper Limits: N/R

Extinguishing Media

USE WATER FOG, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures

WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard

COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Measures =====	Control	TOP
Respiratory Protection		

NONE NORMALLY REQUIRED. NIOSH/MSHA–APPROVED RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation

MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.

Protective Gloves

NONE NORMALLY REQUIRED.

Eye Protection

SAFETY GLASSES.

Other Protective Equipment

NONE.

Work Hygienic Practices

WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEY1:N1. THIS IS PART B OF A KIT. FOR PART A, SEE PNI A, CAGE 75364, SAME NSN. THE NSN FOR THIS PRODUCT BY ITSELF IS 8040-00-291-8625.

Physical/Chemical Properties

[TOP](#)

HCC:

N1

NRC/State LIC No: N/R

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 212F,100C

Melt/Freeze Pt:

M.P/F.P Text: UNKNOWN

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres: UNKNOWN

Vapor Density: UNKNOWN

Volatile Org Content %:

Spec Gravity: >1

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: COMPLETE

Appearance and Odor: WHITE CREAMY MIXTURE. SLIGHT AMMONIA ODOR.

Percent Volatiles by Volume: N/R

Corrosion Rate: UNKNOWN

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: NONE NOTED.

Materials To Avoid: ACIDS.

Hazardous Decomposition Products: AMMONIA, CARBON MONOXIDE, CARBON DIOXIDE, INCOMPLETELY BURNED CARBON PRODUCTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT APPLICABLE

:

===== Toxicological Information =====

[TOP](#)

Toxicological Information:

N/P

===== Ecological Information =====

[TOP](#)

Ecological:

N/P

===== MSDS Transport Information =====

[TOP](#)

Transport Information:

N/P

===== Regulatory Information =====

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

===== Other Information =====

[TOP](#)

Other Information:

N/P

=====

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.