MATERIAL SAFETY

DATA SHEET

3M Center

3M

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1998, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

DIVISION: VISUAL SYSTEMS DIVISION

TRADE NAME:

PP2500 TRANSPARENCY FILM

ID NUMBER/U.P.C.:

 $78-6969-7011-6 \quad 00-51125-01810-4 \quad 78-6969-7452-2 \quad 00-51125-07361-5$

78-6969-8537-9 00-51125-59234-5

ISSUED: December 09, 1998 SUPERSEDES: February 24, 1997

DOCUMENT: 05-4754-7

1. INGREDIENT		PERCENT	
ACRYLATE COPOLYMER	Unknown 9011-05-6	1 0	< 94
MMONIUM, [3-(DODECYLOXY)-2- HYDROXYPROPYL]BIS(2-HYDROXYETHYL)METHYL-	9011-05-6	1.0	- 5.0
METHYL SULFATE (SALT)	18602-17-0		< 1.0
2. PHYSICAL DATA			
BOILING POINT:			
VAPOR PRESSURE:			
EVAPORATION RATE:			
SOLUBILITY IN WATER: N/A			
SPECIFIC GRAVITY: N/A			
PERCENT VOLATILE:			

MSDS: PP2500 TRANSPARENCY FILM
December 09, 1998

PAGE 2

2. PHYSICAL DATA (continued)

APPEARANCE AND ODOR: transparency film

3. FIRE AND EXPLOSION HAZARD DATA

EXTINGUISHING MEDIA:

Carbon dioxide, Dry chemical

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

No unusual fire or explosion hazards are anticipated.

NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

Not applicable.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide, Oxides of Nitrogen, Formaldehyde

Acrylates such as Methyl Methacrylate and Ethyl Acrylate may form.

MSDS: PP2500 TRANSPARENCY FILM December 09, 1998 PAGE 3 ______ 5. ENVIRONMENTAL INFORMATION ______ SPILL RESPONSE: Not determined. Collect spilled material. RECOMMENDED DISPOSAL: Incinerate large quantities in an industrial or commercial incinerator. Dispose of waste product in a sanitary landfill. ENVIRONMENTAL DATA: No data available. REGULATORY INFORMATION: Volatile Organic Compounds: N/D. VOC Less H2O & Exempt Solvents: N/D. EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO 6. SUGGESTED FIRST AID ______ EYE CONTACT: No need for first aid is anticipated. SKIN CONTACT: No need for first aid is anticipated. INHALATION: If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician. IF SWALLOWED: No need for first aid is anticipated. 7. PRECAUTIONARY INFORMATION EYE PROTECTION: Not applicable. SKIN PROTECTION: Not applicable. RECOMMENDED VENTILATION: Not applicable.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: PP2500 TRANSPARENCY FILM

December 09, 1998 PAGE 4

7. PRECAUTIONARY INFORMATION (continued)

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products.

PREVENTION OF ACCIDENTAL INGESTION:

Not applicable.

RECOMMENDED STORAGE:

Not applicable.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

OTHER PRECAUTIONARY INFORMATION:

SHOULD VAPORS BECOME IRRITATING DURING PROCESSING, CONTACT YOUR SALES/SERVICE REPRESENTATIVE.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ACRYLATE COPOLYMER	NONE	NONE	NONE	NONE	
UREA-FORMALDEHYDE POLYMER	NONE	NONE	NONE	NONE	
AMMONIUM, [3-(DODECYLOXY)-2-					
HYDROXYPROPYL]BIS(2-					
HYDROXYETHYL)METHYL-,METHYL					
SULFATE (SALT)	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Vapors from heated material may cause eye irritation.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

Vapors of heated material may cause respiratory system irritation.

MSDS: PP2500 TRANSPARENCY FILM

PAGE 5

8. HEALTH HAZARD DATA (continued)

IF SWALLOWED:

December 09, 1998

Ingestion is not a likely route of exposure to this product.

SECTION CHANGE DATES

HEADING

SECTION CHANGED SINCE February 24, 1997 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.